MATRO®

TRUCK ACCESSORIES

BREAKING NEWS



strands®
-lighting division

EDITION ???-

UNITY ROCK LIGHT

WORK LIGHT




Use the QR code to check out the products.

✓ *LIGHT WHEREVER YOU NEED IT*

No matter where you work or drive, the Unity rock light can provide illumination from every angle. Its wide and powerful beam provides bright light anywhere needed. If you like off-road challenges, install it in or close to the wheel well to make sure you can see rocks and other obstacles clearly. Use it to increase visibility underneath the vehicle, to the sides, or anywhere you need extra brightness. The durable materials and IP69K IP rating make it perfect for demanding environments.

Part No.
5809505 *White*
5809506 *Amber*
5809507 *Red*
5809508 *Yellow*
€ 39,00 excl. VAT
€ 47,19 incl. VAT






✓ *INSTALL IT EVERYWHERE*

This rock light is incredibly slim, measuring only 74x14,3x42 mm excluding bracket and 60 mm CC, and will fit wherever you need it. Thanks to the included rubber brackets, it's versatile and easy to install. Choose between a bracket for flat surfaces, one for curved surfaces, and one with a 30° angle for use as a scene light. The bracket helps to protect both the product and the vehicle surface and will help prevent corrosion.

Voltage	10-32V DC
Theoretical lumen 5809505 / 5809506	880 lm
Theoretical lumen 5809507 / 5809508	600 lm
Actual lumen 5809505 / 5809506	780 lm / 340 lm
Actual lumen 5809507 / 5809508	200 lm / 460 lm
1 lux @ m 5809505	17 m
Color temperature 5809505/5809508	5700K / 3000K
Beam pattern 5809505	Flood
IP-class	IP69K
Color lens	Clear
Connection	Cable
Cable length	500 mm
Material housing	Aluminium
Material lens	Polycarbonate
Material Brackets	Rubber
Length	74 mm
Depth	14,3 mm
Height	42 mm
Height including brackets	46,6 mm
CC	60 mm
Operating temperature	-30°C . +65°C
E-approved	No
EMC-certificate	ECE R10



WHITE
Part No. 5809505

YELLOW
Part No. 5809508

RED
Part No. 5809507

AMBER
Part No. 5809506



✓ *MORE COLORS, MORE YOU*

Express yourself and find the perfect style for your vehicle. The Unity rock light is available in four colors: white, amber, red, or yellow LED:s. Producing up to 780 actual lumens with a range of 17 m (for the white light), you'll get perfect visibility in any situation. The low power consumption and 10-32 V usage make it a perfect fit for many types of vehicles.

**Included: Mounting bracket for flat surfaces, Mounting bracket for curved surfaces, Mounting bracket with a 30° angle.*







Prices for information purpose only, please visit our website for up-to-date prices.


Prices for information purpose only, please visit our website for up-to-date prices.

SIBERIA XP
RED TIGER
WORK LIGHT





RED AND AMBER
POSITION LIGHT



✓ *248-METER RANGE*

✓ *EASY INSTALLATION*

✓ *HEAVY-DUTY USE*

Part No. 5809281

€ 199,00 excl. VAT / € 240,79 incl. VAT


Voltage	10-40V DC
Consumption	95W
Actual lumen	6400
1 lux @	248 m
IP-class	IP68/IP69K
Beam pattern	Wide beam
Position light	Red and amber
Connection	DT-4PIN
Cable length	200 mm
Material housing	Aluminium
Material lens	Polycarbonate
Length	307 mm
Height	76 mm
Depth	71,6 mm
Height including bracket	89 mm
Operating temperature	-30°C - +65°C
E-approved	No
EMC-certificate	ECE R10

BIG ENERGY 7”

DRIVING LIGHT



WHITE AND AMBER
POSITION LIGHT



Part No. 5270975

€ 125,00 excl. VAT / € 151,25 incl. VAT

Voltage	10-32V DC
Consumption	60 W
Actual lumen	5600 lm
1 lux @	465 m
Color temperature	5700K
Beam pattern	Optimized beam
IP-class	IP67/IP69K
Color lens	Clear
Position light	White and amber
Connection	DT-4
Cable length	1000 mm
Material housing	Aluminium
Material lens	Polycarbonate
Length	179,94 mm
Depth	65,79 mm
Height	164,56 mm
Height including bracket	213,7 mm
Operating temperature	-35°C - +60°C
E-approved	ECE R148 (R7), 149 (R112)
Ref	50
EMC-certificate	ECE R10



✓ *LIGHT AND EASY TO INSTALL*

The slim 7” design, 21,37 cm high, and the low weight make it easy to place and install even with limited space. This makes the Big Energy driving light an excellent option for cars, LCVs, and any driver wishing to improve visibility under dark conditions.

Use the QR code to check out the products.

Prices for information purpose only, please visit our website for up-to-date prices.

DARK KNIGHT
SM6

✓ *INCREDIBLY SLIM*

Now, you can achieve the most streamlined look you’ve ever seen. A depth of only 8 mm makes the SM6 position light perfect for achieving a smooth look. As it’s available as a side marker and red and white position light, you can get an undeniable style around your vehicle. It measures 120x8x28 mm with 110 mm CC, and a 600 mm cable makes it easy to install anywhere.



0,9W | **Part No. 5809513** TAIL LIGHT

5700K | **2,6W** 68,2 LM

Part No. 5809514 POSITION LIGHT

3,3W

Part No. 5809512 SIDE MARKER

Part No. 5809512-5809514

€ 21,00 excl. VAT / € 25,41 incl. VAT

Voltage	10-32V DC
IP-class	IP69K
Color lens	Dark
Color LED	Amber / Red / White
Connection	Cable
Cable length	600 mm
Material lens	Polycarbonate
Length	120 mm
Depth	8 mm
Height	28 mm
CC	110 mm
Operating temperature	-35°C - +65°C
E-approved 5809512	ECE R148 (R91)
E-approved 5809513 / 5809514	ECE R148 (R7)
EMC-certificate	ECE R10

Part No.
5809512 *Amber*
5809513 *Red*
5809514 *White*




✓ *GLOW AND DARKNESS*

The 6 LEDs produce a powerful glow, guaranteeing high visibility and eye-catching style. Thanks to the incredibly low power consumption, 0,9-3,3 W, you can install as many as you like without draining too much power. The SM6 is E-approved ECE R148 and EMC-certified ECE R10.

✓ *DARK KNIGHT*

Release your dark side with the Dark Knight range—defined by its power, dark style, and design. The dark lens of the SM6 blends perfectly with the look of any truck and creates an exclusive style from every angle. The Dark Knight’s darkness makes an eye-catching contrast to the brightness of its lights. But the SM6 is more than just stylish. The durable materials ensure high corrosion resistance, and the IP69K rating guarantees its longevity even when installed in exposed positions on the truck.




Use the QR code to check out the products.



Prices for information purpose only, please visit our website for up-to-date prices.

NUUK E-LINE SCENE LIGHT









- ✓ *MORE THAN 8200 ACTUAL LUMENS*
- ✓ *REIMAGINED ILLUMINATION*
- ✓ *A WORK LIGHT WITH PERFECT PRECISION*
- ✓ *EASY TO INSTALL*


Use the QR code to check out the products.

Part No. 5809136


€ 130,00 excl. VAT / € 157,30 incl. VAT

Voltage	9-36V DC
Consumption	80W, 40W
Theoretical lumen	9200 lm
Actual lumen	8200 lm / 4100 lm
1 lux @	111 m / 79 m
Color temperature	5000K
Beam pattern	Wide beam
IP-class	IP68/IP69K
Connection	Cable
Cable length	2500 mm

Material housing	Aluminium
Material lens	Polycarbonate
Length	566 mm
Depth	52,8 mm
Height	43,9 mm
Height including bracket	43,9 mm
Angle	58°
Operating temperature	-40°C - +60°C
E-approved	No
EMC-certificate	ECE R10



NUUK E-LINE WORK LIGHT



- ✓ *8200 ACTUAL LUMENS*
- ✓ *SLIM AND LIGHTWEIGHT*
- ✓ *REIMAGINED WORK LIGHT*




Use the QR code to check out the product.

Part No. 5809137

€ 120,00 excl. VAT / € 145,2 incl. VAT

Voltage	9-36V DC
Consumption	80W, 40W
Theoretical lumen	9200 lm
Actual lumen	8200 lm / 4100 lm
1 lux @	79 m / 111 m
Color temperature	5000K
Beam pattern	Wide beam
IP-class	IP68/IP69K
Connection	Cable
Cable length	2500 mm

Material housing	Aluminium
Material lens	Polycarbonate
Length	514 mm
Depth	28,2 mm
Height	30 mm
Height including bracket	39,5 mm
Operating temperature	-40°C - +60°C
E-approved	No
EMC-certificate	ECE R10



Prices for information purpose only, please visit our website for up-to-date prices.


DARK KNIGHT STROBE LIGHT DUO

Use the QR code to check out the products.



- ✓ *THREE E-APPROVED OPTIONS*

Choose between a single (6 LEDs), double (12 LEDs), or a triple row (18 LEDs) light. The optics are designed to emit the most powerful and efficient light output, giving you an intense and precise beam.



- ✓ *DUO COLOR AND SUPER-DARK LENS*

The Dark Knight strobe light has two flashlight options: amber and white. While the flashes are incredibly strong, the super-dark lens gives it a smooth and stylish look when not in use.



Part No. 5850460

€ 49,00 excl. VAT / € 59,29 incl. VAT



Part No. 5850461

€ 59,00 excl. VAT / € 71,39 incl. VAT




Part No. 5850462

€ 69,00 excl. VAT / € 83,49 incl. VAT

- ✓ *POWERFUL LIGHT*

This powerful light provides high visibility with low power consumption, consuming only 12-26 W. It can be installed on a wide range of vehicles thanks to the 10-32 V DC compatibility. With 20 warning light patterns, including steady on, you can find the perfect one for any situation.



Part No. 5850460, 5850461, 5850462

Voltage	10-32V DC
Consumption	Amber: 13W/25W/26W White: 12W/24W/24W
Color temperature	Amber: 1700K, White: 6000K
Functions	Warning light
Patterns	20
IP-class	IP67/IP69K
Color lens	Dark
Color LED	White and amber
Connection	Cable

Cable length	1000 mm
Material housing	Aluminium
Material lens	Polycarbonate
Length	125,3 mm 125,5 mm / 125,5 mm
Depth	15 mm
Height	35,3 mm / 59,5 mm / 71,5 mm
CC	116,6 mm /117,2 mm /117,2 mm
Operating temperature	-40°C - +60°C
E-approved	ECE R65 Class 1 / Class 2 / Class 2
EMC-certificate	ECE R10

Prices for information purpose only, please visit our website for up-to-date prices.

BIG ENERGY ROOF BAR XL



Use the QR code to check out the products.

✓ *ICAO AND E-APPROVED*

To fit any driver, the Big Energy XL is E-approved ECE R65 TA2 for use both day and night. More than that, it follows the ICAO regulation type C for vehicles operating at airports.

✓ *CRUISE LIGHT GLOW*

Finally, we can introduce a much-asked feature: the amber cruise light glow. With this, the edges of the roof bar display a powerful amber glow, or you can activate it all around the roof bar. Or choose between 27 unique warning light patterns to find the one perfect for you. Big Energy XL has a memory function and will automatically engage the latest setting. Installation is straight-forward, with separate cables for cruise mode and low intensity.



HEAVY-DUTY DARK DESIGN



✓ *HEAVY-DUTY WARNING LIGHT SOLUTION*

This robust roof bar fits all kinds of trucks while maintaining a smooth, dark style. With options from 880 to 1840 mm long, any driver can enjoy this stylish addition to their vehicle. The 200 mm depth and solid feel make it perfect for trucks and other heavy vehicles. Its 2500 mm cable enables easy access to the junction box, making it easy to install. Thanks to the IP67 IP rating, it has excellent resistance to water and dirt. It's also covered by Strands' market-leading 3-year warranty.


Part No. 5850151 *(880 mm)* **€ 499,00 excl. VAT / € 603,79 incl. VAT**
Part No. 5850152 *(1200 mm)* **€ 559,00 excl. VAT / € 676,39 incl. VAT**
Part No. 5850153 *(1520 mm)* **€ 669,00 excl. VAT / € 809,49 incl. VAT**
Part No. 5850154 *(1820 mm)* **€ 779,00 excl. VAT / € 942,59 incl. VAT**

✓ *DARK LENS AND PREMIUM DESIGN*

If you're a fan of the Big Energy dark look, this is for you. The XL roof bar boasts a sparkling TPU satin top and stylish profile. The dark PC lens provides an eye-catching contrast to the amber glow, and a smooth, rounded aluminum housing completes the look and heightens any vehicle's style.

Part No. 5850151-5850154

Voltage	12-24V DC	**Material housing**	Aluminium
Consumption	105W / 126W / 144W / 160W	**Material lens**	Polycarbonate
		Length	880 / 1200 / 1520 / 1840 mm
Patterns	29	**Depth**	200 mm
IP-Class	IP67	**Height**	44 mm
Color lens	Dark	**Height including bracket**	100 mm
Color LED	Amber	**Operating temperature**	-30°C - +60°C
Connection	Cable	**E-approved**	ECE R65 TA2, ICAO Type C
Cable length	2500 mm	**EMC-certificate**	ECE R10



Prices for information purpose only, please visit our website for up-to-date prices.

Prices for information purpose only, please visit our website for up-to-date prices.

Part No. 5850458
€ 27,50 excl. VAT / € 33,28 incl. VAT

IZE LED
SILVER ARROW DOUBLE BURNER




Part No. 5850458-5850459

Voltage	10-32V DC	**Cable length**	1000 mm
Consumption	White position light: 3 W, Amber position light: 3 W, Warning light: 2,5 W Position light, Warning light	**Material housing**	Polycarbonate
		Material lens	Polycarbonate
		Length	125 mm
IP-Class	IP69K	**Depth**	32 mm
Patterns	21	**Height**	52 mm
Color lens	(5850458) Clear / (5850459) Dark	**CC**	109 mm
Color LED	White and amber	**Operating temperature**	-30°C - +60°C
Connection	Cable	**E-approved**	ECE R148 (ECE R7, R91)
		EMC-certificate	ECE R10

✓ *CORROSION-FREE*

Be the center of attention with this undeniable old-school look. We've taken the classic double burner and driven it into the future. You'll recognize the style and shape, but with a quality and feel thoroughly updated to fit the modern driver.



✓ *OLD SCHOOL GLOW*

The IZE LED double burner has a powerful amber and white light. To get the perfect style, choose between the Silver Arrow with a clear lens or the Black Bullet with a dark lens. It's a perfect match for the exceptionally popular IZE LED Torpedo (Part No. 5850426-5850427) with its patterned lens, duo position light, and built-in warning light.

✓ *DUO COLOR AND WARNING LIGHT*

In addition to attitude and style, the IZE LED double burner has a built-in warning light for extra visibility. The amber warning light has 21 light patterns to fit any situation. You can synchronize up to 12 double burners or Dark Knight Strobe lights for a complete look around your truck.



Use the QR code to check out the products.

Part No. 5850459
€ 27,50 excl. VAT / € 33,28 incl. VAT

IZE LED
BLACK BULLET DOUBLE BURNER

Prices for information purpose only, please visit our website for up-to-date prices.



37W
3940 LM


UNITY EDGE

✓ *ZERO WASTE LIGHT AND NO-EDGE LENS*

The wide and even output is optimized using Zero Waste Light technology, minimizing shadows and eye strain. Unity Edge is updated with a No-Edge lens design, which helps to widen the beam and direct water away from the front of the lens.



Part No. 5809276
€ 49,00 excl. VAT / € 59,29 incl. VAT




✓ *HIGH POWER, LOW CONSUMPTION*

With a powerful flood beam, the Unity Edge will illuminate your workspace with a force of 3940 actual lumens and a color temperature of 5700 K. It uses only 37 W, so there is no need to worry about power consumption. The range of 67 meters is an incredible feat for such a small light. It's EMC certified ECE R10, CISPR25 Class 3.

Use the QR code to check out the products

✓ *SMALL AND STURDY*

The Unity Edge is small enough to fit in your hand. But don't let the small size fool you. It's IP-rated IP68/IP69K and made from sturdy materials, guaranteeing a long-lived product in any weather.






20W
2010 LM

✓ *UPDATED EVERYDAY WORK LIGHT*


Its small size and big power make it a perfect companion for everyday use. It will fit any vehicle thanks to the 150 mm cable with DT-2 connector and can easily replace old or worn-out lights.

Part No. 5809275
€ 39,00 excl. VAT / € 47,19 incl. VAT

Part No. 5809276



Part No. 5809275



Prices for information purpose only, please visit our website for up-to-date prices.

FIREFLY SEE ME



Use the QR code to check out the products



Part No. 8550441
RED POSITION LIGHT
TAIL/BRAKE LIGHT
1,5W
€ 35,00 excl. VAT / € 42,35 incl. VAT

✓ *E-APPROVED AND DURABLE*

Despite its slim size, the Firefly See Me series is highly durable and can withstand rugged use and many hours on the road. Made from aluminum, polycarbonate, and IP-classed IP67, it is resistant to wear and tear, dirt, and liquids. All lights are E-approved and covered by Strands Lighting Division's unique 3-year function warranty.

✓ *FLOATING POSITION LIGHT TECHNOLOGY*

Be seen, be you. The new Firefly See Me series offers exciting new opportunities in vehicle styling and visibility. With a new position light technology, where the light hovers above the vehicle's surface, any vehicle can get a head-turning look.




✓ *BEYOND AVERAGE CUSTOMIZATION*

Using a click-frame for one, two, or three lamps for installation, it's easy to install as many lights as you need. As the Firefly See Me series continues to grow, opportunities for customization will increase. With side markers, double burner position lights, warning lights, and tail lights, Firefly See Me will provide excellent illumination wherever needed. The slim size makes it a perfect fit for trucks, LCVs, or any vehicle.




✓ *THE FUTURE OF POSITION LIGHTS*


At Strands Lighting Division, we want to push the boundaries for what is possible. Attaching the position light to the inside of the glass makes it invisible when not in use. When in use, the light appears to float weightlessly outside the vehicle. Firefly See Me guides the way to the future of position lights, merging advanced technology with a striking design.



Part No. 5850443
WARNING LIGHT, SIDE MARKER
SINGLE FLASH/DOUBLE FLASH
14,5W
€ 39,00 excl. VAT / € 47,19 incl. VAT







Voltage	10-48V DC	**Height including bracket**	65 mm
IP-class	IP67	**Operating temperature**	90 mm
Color lens	Clear	**CC**	-30°C-+66°C
Connection	Cable	**E-approved:**	
Cable length	1000 mm	**850441/850444**	R148 (R7)
Material bracket	Polycarbonate	**850442**	R148 (R91)
Length	102 mm	**850443**	R65 class 2
Depth	42,5 mm	**EMC-certificate**	ECE R10
Height	23 mm		

Prices for information purpose only, please visit our website for up-to-date prices.



5850442
SIDE MARKER
1W
€ 35,00 excl. VAT / € 42,35 incl. VAT

Part No. 5850449
TRIPLE
MOUNTING BRACKET
€ 6,20 excl. VAT / € 7,50 incl. VAT

Part No. 5850448
DOUBLE
MOUNTING BRACKET
€ 5,10 excl. VAT / € 6,17 incl. VAT



Part No. 5850444
DOUBLE BURNER,
POSITION LIGHT, WHITE/AMBER
2W
€ 35,00 excl. VAT / € 42,35 incl. VAT

Prices for information purpose only, please visit our website for up-to-date prices.

SIBERIA X



HELLO FUNCTION

AVAILABLE IN
7” AND 9”

SIBERIA X DRIVING LIGHT
Part No. 5270960 *(7”)*
€ 265,00 excl. VAT / € 320,65 incl. VAT
Part No. 5270961 *(9”)*
€ 305,00 excl. VAT / € 369,05 incl. VAT

Use the QR code to check out the products



✓ *I AM XPERIENCE*


Everything in Siberia X has been rigorously tested and improved, from the advanced interior components to the durable aluminum housing. It’s highly protected against vibrations, and the special powder coating makes it resistant to dirt, salt, and water. Siberia X is also IP-rated IP68/IP69K. Let nothing stop you from where you want to go.

✓ *HELLO FUNCTION*


The white and amber position light has an eye-catching X shape that accentuates the housing’s shape. The position light also shines through the back of the housing, drawing attention from all angles. As with all Xperience driving lights and LED bars, Siberia X has a Hello function to let you greet your friends on the road. Just flash your high beam twice, and the position lights’ Hello signal will activate.

Part No. 5270960 *(7”)* **/ 5270961** *(9”)*

Part No. 5270960 *(7”)*
E-MODE



XPERIENCE MODE




XPERIENCE-MODE	
Consumption	96W / 164W
Actual lumen	7430 lm / 13 350 lm
1 lux @	620 m / 881 m
E-MODE	
Consumption	22W / 19W
Actual lumen	1640 lm /1430 lm
1 lux @	308 m / 319 m


Voltage	10-32V DC
Consumption, White position light	6W / 6,9W
Consumption, Amber position light	6,8W / 7,1W
Function	High beam, White and amber position light, seperate hello function
Color temperature	5700K
Beam pattern	Optimized beam / Long-distance beam
IP-Class	IP68/IP69K
Color lens	Clear
Color LED	White and amber
Position light	White and amber

Connection	DT-4
Cable length	150 mm
Material housing	Aluminium
Material lens	Polycarbonate
Length	173,4 mm / 220,4 mm
Depth	83,3 mm / 99,3 mm
Height	169,6 mm / 212,9 mm
Height including bracket	191,6 mm / 233,1 mm
Operating temperature	-30°C - +65°C
E-approved	ECE R148 (R7), R149 (R112)
Ref	20
EMC-certificate	ECE R10, CISPR25 Class 3


Prices for information purpose only, please visit our website for up-to-date prices.




Part No. 5270961 *(9”)*
E-MODE



XPERIENCE MODE





✓ *DARE TO BE DIFFERENT*

To further customize your Siberia X, you can choose between different lens covers to suit your adventure. The dark cover (Part No. 5270958, 5270959) shows off the X-shaped position light when the high beam is inactive; the clear flood cover (Part No. 5270963, 5270965) increases output to the sides, and the yellow cover (Part No. 5270964, 5270966) softens the output. It’s also suitable for driving in rain, snow, or fog. Just click the cover into place, and you’re ready to go.

SIBERIA X COVER *CLEAR FLOOD LENS*
Part No. 5270963 *(7”)* **/ 5270965** *(9”)*
€ 10,00 excl. VAT / € 12,10 incl. VAT

SIBERIA X COVER
YELLOW FLOOD LENS
Part No. 5270964 *(7”)* **/ 5270966** *(9”)*
€ 10,00 excl. VAT / € 12,10 incl. VAT

SIBERIA X COVER
BLACK
Part No. 5270958 *(7”)* **/ 5270959** *(9”)*
€ 19,50 excl. VAT / € 23,60 incl. VAT



Use the QR code to check out the products

Prices for information purpose only, please visit our website for up-to-date prices.

SIBERIA XP



Part No. 5270985
€ 195,00 excl. VAT / € 235,95 incl. VAT
SIBERIA XP 7”
DRIVING LIGHT


Use the QR code to check out the products

Part No. 5270992
€ 255,00 excl. VAT / € 308,55 incl. VAT
SIBERIA XP 9”
DRIVING LIGHT


HELLO FUNCTION

5270992

E-MODE




XPERIENCE MODE





5270985


E-MODE



XPERIENCE MODE









Part No. 5270985 *(7”)* **/ 5270992** *(9”)*

Part No. 5270985 *(7”)*

XPERIENCE-MODE		E-MODE	
Consumption	77W	**Consumption**	22W
Actual lumen	5710 lm	**Actual lumen**	1540 lm
1 lux @	660 m	**1 lux @**	342 m

Theoretical Consumption	80W
Consumption, White/Amber pos. light	5,2W
Beam pattern	Extended beam
LxDxH	178 x 78,2 x 178 mm mm
Height including bracket	194,1 mm

Part No. 5270992 *(9”)*

XPERIENCE-MODE		E-MODE	
Consumption	144W	**Consumption**	31W
Actual lumen	15 030 lm	**Actual lumen**	3080 lm
1 lux @	711 m	**1 lux @**	330 m

Theoretical Consumption	150W
Consumption, White/Amber pos. light	5,4W
Beam pattern	Long-distance beam
LxDxH	228,6 x 86,7 x 228,6 mm mm
Height including bracket	228.6 mm

Voltage	10-40V DC
Color temperature	5700K
IP-Class	IP68/69K
Color lens	Clear
Color LED	White and yellow
Connection	DT-4 PIN
Cable length	150 mm
Material housing	Aluminium
Material lens	Polycarbonate
Operating temperature	-30°C - +65°C
E-approved	ECE R148 (R7), R149 (R112)
Ref	20
EMC-certificate	ECE R10, CISPR25 Class 3

Prices for information purpose only,
please visit our website for up-to-date prices.

LENS COVER


DARK AND YELLOW LENS

Use the QR code to check out the products



✓ *ADAPTIVE LIGHT COVERS FOR PROTECTION AND STYLE*

Modify your driving light to suit any need and environment. The yellow cover softens the beam output. The dark cover is used only when the light is off. It allows the position light to shine through and gives extra protection to the lens.
Fits Siberia Night Ranger and Siberia XP driving light 7” and 9”.





SIBERIA XP
YELLOW LENS COVER
Part No. 5270988 *(7”)* **/ 5809177** *(9”)*

SIBERIA XP
DARK LENS COVER
Part No. 5270987 *(7”)*, **5809176** *(9”)*

AVAILABLE IN
9” AND 7”

Part No. 5270987 *(Dark 7”)* **/ 5270988** *(Yellow 7”)*
€ 10,00 excl. VAT / € 12,10 incl. VAT

Material	Polycarbonate
Diameter	182,8 mm
Depth	18,4 mm
Weight	130g

Part No. 5809176 *(Dark 9”)* **/ 5809177***(Yellow 9”)*
€ 10,00 excl. VAT / € 12,10 incl. VAT

Material	Polycarbonate
Diameter	233,62 mm
Depth	10,50 mm
Weight	180g

FITS PART NO. *5809188, 5809190, 5809200, 5809208, 5809209, 5270992, 5270985*


Prices for information purpose only,
please visit our website for up-to-date prices.

NUUK D-LINE
QUBE 3”




Part No. 5809286 *DRIVING LIGHT*
€ 89,00 excl. VAT / € 107,69 incl. VAT

Voltage	10-32V DC	**Cable length**	150 mm
Consumption	41 W	**Material housing**	Aluminium
Actual lumen	2710 lm	**Material lens**	Polycarbonate
1 lux @	240 m	**length**	85,03 mm
color temperature	5700K	**depth**	53,27 mm
Beam pattern	Focused beam	**Height**	85,75 mm
IP-class	IP68/IP69K	**height including bracket**	96,88 mm
color Lens	Clear	**Operating temperature**	-30 · +65°C
Position light	White and yellow	**E-approved**	No
Connection	DT-4	**Emc-certificate**	ECE R10



5700K COLOR TEMPERATURE




Use the QR code to check out the product

✓ *NEW STANDARD*

The Nuuk D-Line Qube amplifies all you need in a work light: bolder design, sharper details, and unmatched durability. Every line, material, and finish is crafted to endure the most demanding challenges on and off the road. The rounded shape leads water away from the lens.

39W
WORK LIGHT



Part No. 5809287 *WORK LIGHT*
€ 89,00 excl. VAT / € 107,69 incl. VAT

Voltage	10-32V DC	**Cable length**	150 mm
Consumption	39 W	**Material housing**	Aluminium
Actual lumen	2920 lm	**Material lens**	Polycarbonate
1 lux @	59 m	**length**	85,03 mm
color temperature	5700K	**depth**	53,27 mm
Beam pattern	Wide beam	**Height**	85,75 mm
IP-class	IP68/IP69K	**height including bracket**	96,88 mm
color Lens	Clear	**Operating temperature**	-30 · +65°C
Position light	Red and amber	**E-approved**	No
Connection	DT-4	**Emc-certificate**	ECE R10

Prices for information purpose only,
please visit our website for up-to-date prices.


NUUK D-LINE
MC 3”

DRIVING LIGHT



Part No. 5809288
€ 89,00 excl. VAT / € 107,69 incl. VAT


Voltage	10-32V DC	**Cable length**	150 mm
Consumption	39 W	**Material housing**	Aluminium
Actual lumen	2540 lm	**Material lens**	Polycarbonate
1 lux @	276 m	**length**	83,32 mm
color temperature	5700K	**depth**	54,58 mm
Beam pattern	Optimized beam	**Height**	84,07 mm
IP-class	IP68/IP69K	**height including bracket**	93,54 mm
color Lens	Clear	**Operating temperature**	-30 · +65°C
Position light	White and yellow	**E-approved**	ECE R149 (R113), R148 (R7)
Connection	DT-4	**Emc-certificate**	ECE R10



✓ *QUALITY IN EVERY DETAIL*


From the 180° adjustable bracket to the DT-4 plug, every element is designed for ease and durability. The yellow and white position light stands out against the dark housing. The IP68/69K IP-rating protects it against dirt, water, and the toughest adventures.

DT-4
CONNECTION



✓ *A DIFFERENT WORK LIGHT*

The light’s compact size and shape, with a height of only 93,54 mm, means it will fit anywhere. It has a range of 65 m and more than 2740 actual lumens. The red and amber position light gives it an eye-catching look and hardcore style.



Part No. 5809289
€ 89,00 excl. VAT / € 107,69 incl. VAT

Voltage	10-32V DC	**Cable length**	150 mm
Consumption	39 W	**Material housing**	Aluminium
Actual lumen	2740 lm	**Material lens**	Polycarbonate
1 lux @	65 m	**length**	83,32 mm
color temperature	5700K	**depth**	54,58 mm
Beam pattern	Wide beam	**Height**	84,07 mm
IP-class	IP68/IP69K	**height including bracket**	93,54 mm
color Lens	Clear	**Operating temperature**	-30 · +65°C
Position light	Red and amber	**E-approved**	No
Connection	DT-4	**Emc-certificate**	ECE R10

Use the QR code to check out the product

Prices for information purpose only,
please visit our website for up-to-date prices.

BIG ENERGY
ROTATING BEACON

XL

✓ *BENEFITS FOR RETAILERS*

As a reseller, you can count on this rotating beacon for lasting customer satisfaction. Strands Lighting Division provides smart and long-lived products, as well as the best customer service. Everything you need for installation is included in the package. With five models, it's easy to find big illumination for every vehicle. The rotating beacon can be connected with a cable, pole mount, or type-C cable and cig-plug. Choose between a permanent mount or a magnetic base. All products are covered by Strands' 3-year warranty.

Use the QR code to check out the products


Part No. 5850971
SURFACE MOUNT
CLEAR LENS

Part No. 5850972
SURFACE MOUNT
AMBER LENS

Part No. 5850974
SURFACE MOUNT
AMBER LENS

Part No. 5850975
POLE MOUNT
AMBER LENS

Part No. 5850976
ROTATING BEACON BATTERY
AMBER LENS



Part No. 5850971 *(Clear)*, **5850972** *(Amber)* / **5850974** *(Amber)*


Voltage	12-24V DC
Pattern	3
IP-class	IP56
Color lens 5850971	Clear
Color lens 5850972/5850974	Amber
Connection	Cable
Cable length	350 mm
Material housing	ABS
Material lens	Polycarbonate
Operating temperature	-20°C - +60°C
E-approved	ECE R65
EMC-certificate	ECE R10

Part No. 5850971 / 5850972
€ 69,00 excl. VAT / € 83,49 incl. VAT

L x D x H	140 x 140 x 181 mm
Diameter	140 mm
CC	114 mm

Part No. 5850974
€ 59,00 excl. VAT / € 71,39 incl. VAT

L x D x H	130 x 130 x 111 mm
Diameter	130 mm
CC	114 mm



Part No. 5850975 *(Amber)* / **5850976** *(Amber)*


Patterns	3
IP-class	IP65
Color lens	Amber
Color LED	Warm white
Material housing	ABS
Material lens	Polycarbonate
Operating temperature	-20°C - +60°C
E-approved	ECE R65
EMC-certificate	ECE R10

Part No. 5850975
€ 59,00 excl. VAT
€ 71,39 incl. VAT

Voltage	12-24V DC
Consumption	20W
Connection	Pole mount
Length	145 mm
Depth	145 mm
Height	131,4 mm
Diameter	145 mm

Part No. 5850976
€ 99,00 excl. VAT
€ 119,79 incl. VAT

Voltage	5V DC
Consumption	15W
Connection	Type-C cable and cig plug
Cable length	1020 mm
Length	131 mm
Depth	131 mm
Height	151 mm
Diameter	131 mm




Prices for information purpose only, please visit our website for up-to-date prices.


Prices for information purpose only, please visit our website for up-to-date prices.

SIBERIA XP

DOUBLE ROW







5809425 *(8”)*	€ 179,00 excl. VAT / € 216,59 incl. VAT
5809426 *(12”)*	€ 245,00 excl. VAT / € 296,45 incl. VAT
5809427 *(22”)*	€ 305,00 excl. VAT / € 369,05 incl. VAT
5809428 *(32”)*	€ 490,00 excl. VAT / € 592,90 incl. VAT
5809429 *(42”)*	€ 560,00 excl. VAT / € 677,60 incl. VAT
5809430 *(50”)*	€ 665,00 excl. VAT / € 804,65 incl. VAT



30 000 LUMEN


✓ *A NEW EXTREME OUTPUT*


The Siberia XP Double Row LED bar is available in 8” to 50” models, with an output up to 100% stronger than previously. In Xperience mode, it achieves 4300 - 30 000 actual lumens, with a range of 544-1258 meters @ 1 lux. The E-mode is E-approved R148/149 with reference number 20, suitable for European drivers and poor weather conditions. Based on your requirements, the different models have extended or long-distance beam patterns. A color temperature of 5700 K ensures a bright and clear illumination. The IP rating of IP68/IP69K ensures high protection against dirt and water. 20” and above feature the Hello function and an integrated relay. Siberia XP is covered by Strands Lighting Divisions’ 3-year function warranty.

Use the QR code to check out the products

Prices for information purpose only, please visit our website for up-to-date prices.

SINGLE ROW







WHITE AND AMBER
POSITION LIGHT

5809411 *(12”)*	€ 160,00 excl. VAT / € 193,60 incl. VAT
5809412 *(22”)*	€ 255,00 excl. VAT / € 308,55 incl. VAT
5809413 *(32”)*	€ 305,00 excl. VAT / € 369,05 incl. VAT
5809414 *(42”)*	€ 399,00 excl. VAT / € 482,97 incl. VAT
5809415 *(50”)*	€ 470,00 excl. VAT / € 568,70 incl. VAT



16 500 LUMEN

✓ *XPERIENCE MODE AND E-MODE*

Get ready to experience the Siberia XP Single Row LED bar. It’s available in 12” to 50” models, producing 3620-16500 actual lumens in Xperience mode. They have optimized, extended, or long-distance beam patterns, ranging between 454 and 878 meters. The E-mode is E-approved R148/R149 with reference number 20. The 5700 K color temperature ensures a crisp and clear illumination. It’s incredibly durable and can withstand vibrations, rough roads, and hard use. With an IP rating of IP68/IP69K, it has high protection against dirt and water. 20” and above feature the Hello function and an integrated relay. Siberia XP is covered by Strands Lighting Divisions’ 3-year function warranty.

Use the QR code to check out the products

Prices for information purpose only, please visit our website for up-to-date prices.

KING-TRUCK SRL
Pontelongo | Padova | Italia
Phone: +39 (0)49 261 38 03
info@king-truck.com | www.king-truck.com

YOUTUBE. *Subscribe at Strands Lighting Division for innovative lighting in action and get detailed information about our products.*

LINKEDIN. *Follow us at Strands Group AB for industry insights, news, and exciting updates.*

WEBSITE. *Visit www.strandseurope.com for detailed information about our products.*

INSTAGRAM. *Follow us at @strandslightingdivision for inspiration, exciting news, and participate in competitions.*

FACEBOOK. *Like Strands Lighting Division, engage in discussions and be the first to know about product news.*

**With reservation for misprints and possible changes. Possible truck brand logo's shown are purely indicative, they are not original and do not indicate that the product has been made/inspected by the brand owner. They only indicate that the product is suitable for a particular brand/vehicle.*